

A close-up photograph of a man with a beard and brown hair, looking down at a pizza. The pizza is on a metal tray and has a thick crust with melted cheese and toppings. The background is dark and out of focus.

DUPIXENT[®]
(dupilumab) Injection 300mg

DU MORE

PIZZA NIGHTS WITH LESS NASAL POLYPS

BREATHE BETTER WITH LESS CONGESTION.

INDICATION: DUPIXENT is a prescription medicine used with other medicines for the maintenance treatment of chronic rhinosinusitis with nasal polyposis (CRSwNP) in adults whose disease is not controlled. It is not known if DUPIXENT is safe and effective in children with chronic rhinosinusitis with nasal polyposis under 18 years of age.

Please see **Important Safety Information** throughout and accompanying full [Prescribing Information](#) including [Patient Information](#).

DU MORE OF THE THINGS YOU LOVE

DUPIXENT is a steroid-free alternative to nasal polyp surgery that can help you breathe better with less congestion.

- Can reduce nasal congestion and shrink nasal polyps
- Can improve sense of smell in as little as 3 days
- Can reduce need for oral steroid use*

*Don't stop taking your corticosteroid medicine unless instructed by your doctor.

IMPORTANT SAFETY INFORMATION: Do not use if you are allergic to dupilumab or to any of the ingredients in DUPIXENT. Before using DUPIXENT, tell your healthcare provider about all your medical conditions, including if you: have eye problems; have a parasitic (helminth) infection; are scheduled to receive any vaccinations. You should not receive a "live vaccine" right before and during treatment with DUPIXENT. Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) including [Patient Information](#).



TARGETS A CAUSE, NOT JUST THE SYMPTOMS

ABOUT NASAL POLYPS

Scientific advances have found that an underlying inflammation, known as **type 2 inflammation**, may be a source of nasal polyps.



DID YOU KNOW?

8 out of 10 people with nasal polyps have type 2 inflammation.

HOW DUPIXENT CAN HELP

DUPIXENT is a biologic, which blocks two of the key sources of type 2 inflammation.

This can result in:

- Shrinking of nasal polyps
- Reducing the need for surgery

IMPORTANT SAFETY INFORMATION: Before using DUPIXENT, tell your healthcare provider about all your medical conditions, including if you (cont'd): are pregnant or plan to become pregnant. It is not known whether DUPIXENT will harm your unborn baby. A pregnancy registry for women who take DUPIXENT during pregnancy collects information about the health of you and your baby. To enroll or get more information call 1-877-311-8972 or go to <https://mothertobaby.org/ongoing-study/dupixent/>. Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) including [Patient Information](#).

BREAK THE CYCLE OF SURGERY

Surgery removes your nasal polyps, but it may not treat an underlying cause of inflammation—allowing them to grow back.

DUPIXENT: the first biologic approved for CRSwNP and an alternative to surgery.

DUPIXENT is an option for those who have **or** have not had surgery. In clinical trials, a majority of patients who had a prior surgery did not need another surgery.

83% FEWER PATIENTS REQUIRED NASAL POLYP SURGERY.*

*Compared to placebo + standard of care.

IMPORTANT SAFETY INFORMATION: Before using DUPIXENT, tell your healthcare provider about all your medical conditions, including if you (cont'd): are breastfeeding or plan to breastfeed. It is not known whether DUPIXENT passes into your breast milk. Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins and herbal supplements. Especially tell your healthcare provider if you are taking oral, topical, or inhaled corticosteroid medicines or if you have CRSwNP and asthma and use an asthma medicine. **Do not** change or stop your corticosteroid medicine or other asthma medicine without talking to your healthcare provider. This may cause other symptoms that were controlled by the corticosteroid medicine or other asthma medicine to come back. **Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) including [Patient Information](#).**



A HELPFUL GUIDE FOR TALKING WITH YOUR DOCTOR

Talking about what you're going through can be the way to get through. Answering the questions below can help you and your doctor figure out the best way to treat your nasal polyps.

1. Which of these nasal polyp symptoms have you experienced? (Check all that apply)

- Nasal congestion Reduced or loss of sense of smell
 Difficulty breathing Fatigue Facial pain/pressure
 Difficulty sleeping

2. Which of the following have you tried?

- Antibiotics Nasal steroids Oral steroids
 Other _____

3. How often do these symptoms occur?

A: Nasal congestion

- Never Rarely Occasionally Frequently

B: Fatigue

- Never Rarely Occasionally Frequently

C: Facial pain/pressure

- Never Rarely Occasionally Frequently

D: Difficulty falling asleep

- Never Rarely Occasionally Frequently

4. How many times in the last year have you used oral steroids?

- 0 1 2 3 4+

5. Has your sense of smell been affected?

- Yes No

Be sure to bring this with you for your next appointment and ask your doctor any questions you might have. A thoughtful conversation can be the first step to getting better.

IMPORTANT SAFETY INFORMATION: DUPIXENT can cause serious side effects, including (cont'd): Eye problems. Tell your healthcare provider if you have any new or worsening eye problems, including eye pain or changes in vision, such as blurred vision. Your healthcare provider may send you to an ophthalmologist for an eye exam if needed. **Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) including [Patient Information](#).**

IMPORTANT SAFETY INFORMATION: DUPIXENT can cause serious side effects, including: Allergic reactions. DUPIXENT can cause allergic reactions that can sometimes be severe. Stop using DUPIXENT and tell your healthcare provider or get emergency help right away if you get any of the following signs or symptoms: breathing problems or wheezing, swelling of the face, lips, mouth, tongue, or throat, fainting, dizziness, feeling lightheaded, fast pulse, fever, hives, joint pain, general ill feeling, itching, skin rash, swollen lymph nodes, nausea or vomiting, or cramps in your stomach-area.

LESS NASAL POLYPS. MORE YOU.

With DUPIXENT, and less nasal polyps, you can do more of what matters most.

In clinical studies utilizing a symptom measurement tool, people taking DUPIXENT saw a meaningful improvement in their nasal polyps symptoms, which included, but were not limited to:

- Nasal blockage
- Facial pain/pressure
- Difficulty falling asleep
- Fatigue
- Decreased sense of smell and taste

The relationship between DUPIXENT and its effect on individual symptoms was studied by a multi-symptom questionnaire but not definitively proven. Ask your doctor how DUPIXENT may help.

IMPORTANT SAFETY INFORMATION: DUPIXENT can cause serious side effects, including (cont'd): Inflammation of your blood vessels. Rarely, this can happen in people with asthma who receive DUPIXENT. This may happen in people who also take a steroid medicine by mouth that is being stopped or the dose is being lowered. It is not known whether this is caused by DUPIXENT. Tell your healthcare provider right away if you have: rash, chest pain, worsening shortness of breath, or a feeling of pins and needles or numbness of your arms or legs, or persistent fever. **Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) including [Patient Information](#).**

REAL EXPERIENCES FROM REAL PEOPLE PRESCRIBED TO OVER [60,000] AND COUNTING*



When I wake up, I can breathe through my nose. Who would have thought that breathing easier through your nose would be such a relief? I'm not sniffing all the time at work, and I'm not worried about bothering my coworkers. I don't focus on my nasal polyps as much anymore.

– Kathy
DUPIXENT patient since 2019



I'm really glad I can breathe better through my nose! Now, when I play steel drums, I'm driving around, traveling visiting friends, I can just really immerse myself in the experience.

– Martin
DUPIXENT patient since 2019



DUPIXENT MyWay[®] can also answer any questions regarding insurance coverage for treatment and help teach patients how to receive and stay on track with DUPIXENT.

– Mark
DUPIXENT patient since 2020

Individual results may vary.

To hear more stories of how DUPIXENT has helped others, [click here](#).

YOU'RE NOT ALONE AND A COMMUNITY OF PEOPLE WHO UNDERSTAND IS HERE

Hearing from people who have had a similar experience as you can help. That's why we offer webinars where you can learn from healthcare professionals and patients who know what you're going through.



Join one of our webinars to learn more.

Visit www.DUPIXENT.com/np-webinars to see what may be available.

IMPORTANT SAFETY INFORMATION: DUPIXENT can cause serious side effects, including (cont'd): Joint aches and pain. Some people who use DUPIXENT have had trouble walking or moving due to their joint symptoms, and in some cases needed to be hospitalized. Tell your healthcare provider about any new or worsening joint symptoms. Your healthcare provider may stop DUPIXENT if you develop joint symptoms. **Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) including [Patient Information](#).**

*[LH Patient View; data through December 23, 2022.]

HAS YOUR DOCTOR PRESCRIBED DUPIXENT[®] (dupilumab)?

Your healthcare provider is your best resource for information about DUPIXENT and should be your primary point of contact throughout your treatment journey. The following information describes how *DUPIXENT MyWay* can provide additional support resources for you to help ensure you receive DUPIXENT as quickly as possible and receive additional support when you would like it.

YOU BEGIN YOUR JOURNEY

Your healthcare provider prescribes DUPIXENT, and you enroll into *DUPIXENT MyWay*.

- Your healthcare provider can download the enrollment form on [DUPIXENT.com](https://www.dupilumab.com), help you fill it out, and fax it back to *DUPIXENT MyWay* at **1-844-387-9370**
- You or your healthcare provider can call **1-844-DUPIXEN(T)**, option 1
- Providing your email address allows *DUPIXENT MyWay* to give you more support resources about DUPIXENT

QUESTIONS ABOUT INJECTING? RESOURCES ARE HERE FOR YOU.

Whether you've received injection training from your healthcare provider but are new to injecting or have questions about taking DUPIXENT, we're with you. Take advantage of our supplemental injection resources and training videos by [clicking here](#).

WHAT CAN *DUPIXENT MyWay*[®] DO FOR YOU?

Enrolling in *DUPIXENT MyWay* can help ensure you receive DUPIXENT[®] (dupilumab) as quickly as possible and receive additional support along your treatment journey. For eligible patients, *DUPIXENT MyWay* can:



Help research and explain your insurance benefits



Find ways to help with the out-of-pocket cost of DUPIXENT if you need help with your copay, you are denied coverage from your health plan, or you do not have or experience a loss in insurance



Connect you with a Nurse Educator to answer questions about DUPIXENT and help you start and stay on track with therapy



Connect you with your specialty pharmacy to make sure your prescription is shipped to your home or preferred location



Explain how to properly store DUPIXENT when you receive your shipment



Provide supplemental injection training—in person, virtually, or over the phone—to help you or a caregiver get more familiar with injecting DUPIXENT



Offer a needle disposing kit or sharps container for proper disposal



Remind you when it is time to refill your DUPIXENT prescription

NEED HELP PAYING? \$0* COPAY MAY BE AVAILABLE.

Eligible patients covered by commercial health insurance may pay as little as \$0* copay per fill of DUPIXENT (maximum of \$13,000 per patient per calendar year).

*Approval is not guaranteed. Program has an annual maximum of \$13,000. **THIS IS NOT INSURANCE.** Not valid for prescriptions paid, in whole or in part, by Medicaid, Medicare, VA, DOD, TRICARE, or other federal or state programs including any state pharmaceutical assistance programs. This program is not valid where prohibited by law, taxed or restricted. **DUPIXENT MyWay** reserves the right to rescind, revoke, terminate, or amend this offer, eligibility, and terms of use at any time without notice. Any savings provided by the program may vary depending on patients' out-of-pocket costs. The program is intended to help patients afford DUPIXENT. Patients may have insurance plans that attempt to dilute the impact of the assistance available under the program. In those situations, the program may change its terms. Additional terms and conditions apply.

YOU MAY BE ELIGIBLE FOR THE COPAY CARD PROGRAM IF YOU:

- Have commercial insurance
- Have a DUPIXENT prescription for an FDA-approved condition
- Are a resident of the 50 United States, the District of Columbia, Puerto Rico, Guam, or the US Virgin Islands; and are a patient or caregiver aged 18 years or older


You are not eligible if you:

- Have government insurance—Medicaid, Medicare, Veterans Affairs, Department of Defense, TRICARE, other federal or state programs

Not eligible? **DUPIXENT MyWay**[®] may be able to provide additional financial assistance.

SUPPORT YOU DESERVE

The **DUPIXENT MyWay Copay Card** may help eligible patients cover the out-of-pocket cost of DUPIXENT.



Accessing Copay Savings

Eligible patients can access Copay Card benefits in 2 ways:

- Call 1-800-DUPIXENT to ensure Copay benefits are applied to your script.
- Visit [DUPIXENT.com](https://www.dupilumab.com). Here you can apply for a card online.

Once approved, provide the Copay Card numbers on your card to the specialty pharmacy when they call you to set up delivery of DUPIXENT. The pharmacy will apply the card to reduce your out-of-pocket costs and will note the card number in your record for future refills.

Have you already paid out-of-pocket costs for DUPIXENT?

You may be eligible for reimbursement of your out-of-pocket expenses if you meet program eligibility requirements and:


- You were enrolled in the Copay Card Program but did not use it when you filled your DUPIXENT prescription
- You paid a copay for DUPIXENT before enrolling into the Copay Card Program
- Your health plan did not accept your Copay Card

To apply for reimbursement:

- Visit www.patientrebateonline.com to submit for reimbursement of out-of-pocket costs or to check the card balance. You will be asked to register and login
- Be sure to have ready:
 - Your prescription insurance card
 - Prescription label
 - Your prescription receipt

Please allow 7-10 days to process your request.


Go to [DUPIXENT.com/CRSwNP](https://www.dupilumab.com/CRSwNP) for full program information.



**READY TO SMELL AGAIN?
FEEL LESS CONGESTED?
AND SIMPLY BREATHE
BETTER?**

WITH DUPIXENT, IT'S POSSIBLE.
Ask your specialist how DUPIXENT can help.

IMPORTANT SAFETY INFORMATION: The most common side effects in patients with chronic rhinosinusitis with nasal polyposis include injection site reactions, eye and eyelid inflammation, including redness, swelling, and itching, sometimes with blurred vision, high count of a certain white blood cell (eosinophilia), trouble sleeping (insomnia), toothache, gastritis and joint pain (arthralgia).



IMPORTANT SAFETY INFORMATION: Tell your healthcare provider if you have any side effect that bothers you or that does not go away. These are not all the possible side effects of DUPIXENT. Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088. Use DUPIXENT exactly as prescribed by your healthcare provider. It's an injection given under the skin (subcutaneous injection). Your healthcare provider will decide if you or your caregiver can inject DUPIXENT. **Do not** try to prepare and inject DUPIXENT until you or your caregiver have been trained by your healthcare provider. **Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) including [Patient Information](#).**

DUPIXENT[®]
(dupilumab) Injection 300mg

DU MORE WITH LESS NASAL POLYPS

ASK YOUR DOCTOR ABOUT DUPIXENT:

[THE #1 PRESCRIBED BIOLOGIC BY ENTS AND ALLERGISTS.*]

For more information on
what DUPIXENT can do
for you, [click here](#).

[*For CRSwNP. Data on file, Sanofi US. IQVIA weekly NSOB; data through July 2023.]

IMPORTANT SAFETY INFORMATION: Do not use if you are allergic to dupilumab or to any of the ingredients in DUPIXENT. Please see additional Important Safety Information throughout and accompanying full [Prescribing Information](#) including [Patient Information](#).

Health information contained herein is provided for general educational purposes only. Your doctor is the single best source of information regarding your health. Please consult your doctor if you have any questions about your health or treatment.

© 2023 Sanofi and Regeneron Pharmaceuticals, Inc. All rights reserved. DUPIXENT[®] and DUPIXENT MyWay[®] are registered trademarks of Sanofi Biotechnology. DUP.23.06.0200 07/23

sanofi | REGENERON[®]